

ADDITION OF UNSATURATED HYDROCARBONS TO POLY(VINYL CHLORIDE) AND FUNCTIONALIZATION THEREOF

CROSS REFERENCE

5 This application is a continuation in part of U. S. Patent application

09/604,309 filed June 27, 2000 for Allylation of Poly(Vinyl Chloride) and Further
Functionality of Allyl Groups.

FIELD OF THE INVENTION

10 The present invention relates to the preparation of allylated poly(vinyl
chloride) by utilizing an allyltrialkylsilane in the presence of Friedel-Crafts acids.
The pendant allyl groups can be further reacted through various functionalization
reactions to contain groups such as epoxy, hydroxyl, and silyl. A method for
determination of the labile chlorine content of poly(vinyl chloride) is also disclosed.

15 A further embodiment of the present invention relates to poly(vinyl chloride)
grafted with an unsaturated hydrocarbon such as a diene to form a plurality of
pendant hydrocarbon oligomers on the poly(vinyl chloride) chain, each having an
unsaturated end group. A method for producing the poly(vinyl chloride) grafted
dienes and the addition of various functional end groups to the oligomers is also
set forth. In yet a further embodiment of the present invention, the functionalized
20 end groups such as pendant -OH groups of both the allylated and diene grafted
poly(vinyl chloride) are further reacted with other monomers or polymer chains
which thus results in a poly(vinyl chloride) chain having pendant polymers. These
compositions are useful as compatibilizers for poly(vinyl chloride) and various
other resins.

BACKGROUND OF THE INVENTION

During polymerization of vinyl chloride to poly(vinyl chloride) (PVC), in addition to regular $-\text{CH}_2\text{CHCl}-$ repeat units, a very small quantity of "active" or "labile" chlorines also arises. Although the concentration of these active chlorines is very modest, their presence decisively influences the ultimate thermal, oxidative, and chemical stability of this commercially important resin. The literature is replete with references addressing details of this problem such as set forth in *Thermal Degradation of Some Model Compounds for Poly(vinyl chloride)*, Airinei, Buruiana, Robila, Vasile and Caraculacu, Polymer Bulletin 7, 465-471, (1982); *Formation of Anomalous Structures in PVC and Their Influence on the Thermal Stability:1 Endgroup structures and Labile Chlorine Substituted by Phenol*, Hjertberg, Soervik, J. Macromol. Sci., Chem. 1982 A17(6), 983-1004; and *Formation of Anomalous Structures in PVC and Their Influence on the Thermal Stability:2. Branch Structures and Tertiary Chlorine*, Hjertberg and Sorvik, Polymer, Vol. 24, June, 1983, pp. 673-684.

It has been found that the active chlorines in poly(vinyl chloride), in conjunction with certain Friedel-Crafts coinitiators, are efficient initiators for the grafting of cationically active monomers (isobutylene, styrene) from poly(vinyl chloride), and that the thermal stability of the grafted poly(vinyl chloride) increases significantly over that of unmodified poly(vinyl chloride). See for example *Cationic Grafting: The Synthesis, Characterization and Physical Properties of Poly (Vinyl*

Chloride-g-Isobutylene), Kennedy and Davidson, J. Macromol. Sci. Chem., A12(2), pp. 197-207 (1978); *Poly(vinyl chloride-g-Styrene): Synthesis, Characterization, and Physical Properties*, Kennedy and Nakao, J. Macromol. Sci.-Chem., A12(2), pp 197-207 (1978); *Thermal Stability of Graft Modifications of PVC and Related Materials*, Abbas, Journal of Polymer Science: Polymer Chemistry Edition, Vol. 13, 59-68 (1975); *New Telechelic Polymers and Sequential Copolymers by Polyfunctional Initiator-Transfer Agents (Inifers). XVII. Epoxy and Aldehyde Telechelic Polyisobutylenes*, Kennedy, Chang, and Francik, Journal of Polymer Science: Polymer Chemistry Edition, Vol. 20, 2809-2817 (1982); and *New Telechelic Polymers and Sequential Copolymers by Polyfunctional Initiator-Transfer Agents (Inifers). III. Synthesis and Characterization of a Poly(α -Methylstyrene- β -Isobutylene- β - α -Methylstyrene)*, Kennedy and Smith, Journal of Polymer Science: Polymer Chemistry Edition, Vol. 18, 1539-1546 (1980).

The active chlorine content in poly(vinyl chloride) has been determined by several groups by using FTIR and UV spectroscopy, and selective reactions in conjunction with IR- or UV- active reagents. The values reported in the literature cover quite a broad range (i.e. anywhere from 0.04 to 2.3 mol%), and the discrepancy cannot be explained only by the differences between the samples used. This uncertainty prompted us to develop an analytical method for the determination of the minute concentrations of active chlorines in poly(vinyl chloride) starting material.

SUMMARY OF THE INVENTION

The preparation of the allylated poly(vinyl chloride) is described herein. The active chlorines in poly(vinyl chloride) can be replaced by pendant allyl groups ($-\text{CH}_2\text{CH}=\text{CH}_2$) by the use of allyltrialkylsilane in the presence of Friedel-Crafts acids. The thermal stability of allylated poly(vinyl chloride) is significantly superior to that of the starting material. NMR analytical results of the allylated poly(vinyl chloride) can be utilized to determine the active chlorine content in poly(vinyl chloride). The allyl groups of the allylated poly(vinyl chloride) can be used in various functionalization reactions such as epoxidation, hydroboration, oxidation, and hydrosilation to respectively yield epoxy, hydroxyl, and silyl functional groups.

The poly(vinyl chloride) can also be cationically reacted with an unsaturated hydrocarbon such as a diene to produce a plurality of grafted oligomers pendant from the poly(vinyl chloride) backbone containing a plurality of unsaturated end groups such as allylic groups. The allylic or unsaturated end groups of the oligomeric branch can also be reacted to form various functional groups such as hydroxyl, silyl, or epoxy end groups. The various pendant functional end groups such as hydroxyl can be further reacted through various reactions to contain other oligomers or polymers such as various polyethers, polyesters, polyurethanes, polyamides, or polycarbonates. The resulting product can be described as a poly(vinyl chloride) chain having pendant or grafted oligomers or polymers, which

are useful as compatibilizers for mixtures of poly(vinyl chloride) and various polymers.

DETAILED DESCRIPTION OF THE INVENTION


5 The poly(vinyl chloride) utilized by the present invention is well known to the art and to the literature. The polymerization of vinyl chloride monomer to poly(vinyl chloride) in addition to the regular $-\text{CH}_2\text{CH}(\text{Cl})-$ repeat units, also inherently results in the presence of a very small quantity of active or labile chlorines. The presence of labile chlorines influence the thermal, oxidative, and chemical stability of the poly(vinyl chloride) resin. The labile chlorines in poly(vinyl chloride) can be substituted with allyl groups as described hereinbelow by the use of allyltrialkylsilane in the presence of Friedel-Crafts acids.

10 The poly(vinyl chloride) polymer or resin as utilized in this invention is preferably a homopolymer of vinyl chloride. In addition, small amounts of a copolymer derived from comonomers may be utilized in conjunction with the vinyl chloride monomers in preparing the polymer. Some preferred commoners include, but are not limited to, vinyl acetate, α -methylvinyl chloride, vinylsterate, vinylbenzoate, vinylidene chloride, and vinyl bromide, acrylonitrile, acrylates and methacrylates, or combinations thereof. When a comonomer is utilized with the poly(vinyl chloride) of the present invention, the comonomer ranges generally from 15 about 0.01 to about 10 or 20 parts by weight, desirably from about 0.05 to about 5 parts by weight, and preferably from about 0.5 to about 3 parts by weight based 20

upon the total weight of the comonomer and poly(vinyl chloride). The present invention also extends and pertains to chlorinated poly(vinyl chloride) i.e., C-PVC.

The preparation of C-PVC is well known to the art and to the literature. C-PVC can be utilized in place of the homopolymer of vinyl chloride, or blended therewith, or copolymerized with the comonomers as stated above.

Poly(vinyl chloride) contains, in addition to "normal" secondary chlorines, labile allylic and/or tertiary chlorines as well. The thermal instability of poly(vinyl chloride) is due to the presence of a small but critical amount of labile chlorine with end-allylic structure (I), internal-allylic structure (II), and tertiary structure (III) wherein R° is a poly(vinyl chloride) chain branch. It is the labile chlorine that provides active sites for the above-noted allylation.







The quantitative method utilizes the above described allyl group replacement of the active chlorines of poly(vinyl chloride). The method makes use of the reaction between allyltrialkylsilane and cationic species generated from cationically active chlorines by a Friedel-Crafts acid. The driving force of this substitution is the high chlorine affinity of silicone to the counter anion formed with the Friedel-Crafts acid.

By utilizing the above described allylation method, the allyl group content, and consequently the cationically active chlorine content in poly(vinyl chloride), can be quantitatively determined by NMR spectroscopy, more specifically ^1H NMR spectroscopy.

5 ^1H NMR spectroscopy is carried out on the allylated poly(vinyl chloride). The characteristic resonances of the allyl function, i.e., the terminal protons in the $-\text{CH}_2-\text{CH}=\text{CH}_2$ groups, which are generally found in the 5.65 to 5.95 ppm range, are integrated and correlated with the resonances of the C-H group, which are generally found around 4.5 ppm, to give the amount of allyl group content, and thus also the active chlorine content.

10 In order to find the actual amount of active chlorines per poly(vinyl chloride) chain, the amount of allyl chlorine content per chain in the virgin (pre-allylated) poly(vinyl chloride) polymer must be measured by NMR spectroscopy and subtracted from the number of allyl groups per chain measured from the allylated poly(vinyl chloride) polymer. This is generally because poly(vinyl chloride) always contains a variety of "abnormal" structures, for example:



The characteristic ^1H NMR resonances of these allyl chlorine structures are in the same range as those of the allyl function of the present invention. The reactive C-Cl bonds in these structures can be replaced with relatively stable C-C bonds by allylation, but the chemical shifts of the resonances will appear in the same range. The position of these abnormal allyl resonances remains constant and will not affect the determination of active chlorines. The abnormal structures contribute generally about 1.5 allyl groups in poly(vinyl chloride) in the Geon 110 x 377 poly(vinyl chloride). The cationically active chlorines in mol% is obtained by dividing the number of active chlorines per poly(vinyl chloride) with the number average degree of polymerization of the poly(vinyl chloride used), i.e., 585 with the Geon 110 x 377 resin utilized. The cationically active chlorine content of the Geon resin determined by our method was 0.27% to 0.31 mol% of the total chlorine content, which is equivalent to about 1.6 to about 1.8 cationically active chlorines per poly(vinyl chloride) chain.

Hereinafter, poly(vinyl chloride) refers to either a homopolymer of vinyl chloride, or chlorinated poly(vinyl chloride) (C-PVC), or copolymers thereof; a blend of poly(vinyl chloride) with a C-PVC or with a C-PVC copolymer, or a blend of a poly(vinyl chloride) copolymer and a chlorinated poly(vinyl chloride) polymer or copolymer.

The poly(vinyl chloride) polymers or copolymers utilized by the present invention are widely available commercially from such sources as the Geon

Company as Geon® Resin 110 x 377. The poly(vinyl chloride) can be used in its purchased state or can also be purified before use, such as by precipitation from THF into excess methanol, which is then dried, as in a vacuum oven at room temperature, before use.

5 The allylation of poly(vinyl chloride) should be carried out in a reaction vessel fitted with a stirrer or other agitating means and heating and/or cooling means. Preferably, the allylation is conducted in the presence of an inert gas such as nitrogen, helium, argon, neon, and the like, in order to allylate under controlled, inert or non-reactive conditions.

10 Desirably, the poly(vinyl chloride) is placed into solution by using appropriate polar halogenated hydrocarbon solvents containing a total of from 1 to 6 or 12 carbon atoms, such as 1,2-dichloroethane, methylene chloride, methyl chloride, chlorobenzene, dichlorobenzene, and vinyl chloride, or combinations thereof. Preferred solvents include methylene chloride, and methyl chloride.


15 Enough solvent is utilized so that poly(vinyl chloride) is present in solution in an amount generally from about 0.5 to about 5.0, desirably from about 0.6 to about 3.0, and preferably from 0.75 to about 1.25 percent by weight based on the total weight of poly(vinyl chloride) and solvent.

20 The solution of poly(vinyl chloride) is cooled in the reactor vessel. Suitable temperatures generally range from about minus 20°C to about minus 90°C,

desirably from about minus 30°C to about minus 80°C, and preferably from about minus 50°C to about minus 70°C.

Once cooled, an allyltrialkylsilane is added to the solution.


Allyltrialkylsilanes generally have the formula:



10 wherein R¹, R², and R³, independently, are alkyls (linear or branched) having from 1 to about 5 carbon atoms. R¹, R², and R³ are preferably methyl groups and hence, the preferred allyltrialkylsilane is allyltrimethylsilane (ATMS).

15 The allyltrialkylsilane is utilized in an amount generally from about 0.01 to about 10 moles and preferably from about 0.05 to about 5 moles per liter of solution.

Alternatively, a substituted allyltrialkylsilane can be used in place of the allyltrialkylsilane or in combination therewith. The substituted allyltrialkylsilane generally has the formula




wherein R^1 , R^2 , and R^3 , independently, is an alkyl (linear or branched) having from 1 to about 5 carbon atoms, wherein R^4 , R^5 , R^6 , and R^7 , independently, can be hydrogen atoms, or an alkyl (linear or branched) having from 1 to 10 carbon atoms. The substituted allyltrialkylsilanes can be utilized in the amounts stated above for the allyltrialkylsilanes.

One or more Friedel-Crafts acids are also added to the solution. Such Friedel-Crafts acids include, but are not limited to, titanium tetrachloride, diethyl aluminum chloride, boron trichloride, ethyl aluminum dichloride, tin tetrachloride, aluminum trialkyl, wherein each alkyl, independently, has from 1 to 6 carbon atoms, and the like. The amount of Friedel-Crafts acid utilized generally is from about 1×10^{-3} to about 1×10^{-1} moles per liter, desirably from about 1×10^{-2} to about 8×10^{-2} moles per liter, and preferably from about 2×10^{-2} to about 6×10^{-2} moles per liter of solution.

The reaction solution is mixed and allowed to proceed generally from about 5 minutes to about 60 minutes, desirably from about 10 minutes to about 45 minutes, and preferably from about 15 minutes to about 30 minutes, thus forming the allylated poly(vinyl chloride) of the present invention. The reaction is then terminated with an alcohol having from 1 to 5 carbon atoms or an amine utilizing an excess to precipitate the allylated poly(vinyl chloride). Suitable alcohols include methanol, ethanol, and propanol. Methanol and ethanol are preferred.

The solution is then evaporated, leaving the allylated poly(vinyl chloride). If desired, the allylated poly(vinyl chloride) can be purified by re-dissolving in tetrahydrofuran, cyclohexanone, or any other suitable poly(vinyl chloride) solvent, and centrifuged for any desirable amount of time, such as approximately one hour, to remove residues such as small amounts of metal oxide.


While not being bound by theory, it is believed that the mechanism of the reaction is as follows:





20

25



30

100 to about 1,500 or greater, desirably from about 150 to about 1,000, and preferably from about 200 to about 900.

The presence of an allyl group on the poly(vinyl chloride), derived from reacting the labile chlorines thereon, adds significantly to the thermal stability of the poly(vinyl chloride) chain and also permits various functional groups to be added to the poly(vinyl chloride), thus permitting the grafting of additional compounds thereon, such as other polymers and the like. Functional groups which can be prepared from the allylated poly(vinyl chloride) include epoxy, hydroxyl and silyl.


Accordingly, the allylated poly(vinyl chloride) compositions of the present invention can also be classified as a reactive poly(vinyl chloride) intermediate that can be further functionalized through the allyl groups utilizing reactions such as epoxidation, hydroboration, and hydrosilylation.

Epoxidation of allylated poly(vinyl chloride) can be accomplished as follows. A desired amount of allylated poly(vinyl chloride) is dissolved by any of the solvents as noted hereinabove. Enough solvent is utilized so that poly(vinyl chloride) is present in solution in an amount generally from about 0.1 to about 10, desirably from about 0.5 to about 5, and preferably from about 1 to about 2 percent by weight based on the total weight of poly(vinyl chloride) and solvent. A peracid, i.e., a molecule comprising a -COOOH group, such as m-chloroperbenzoic acid, peracetic acid, perpropionic acid, trichloroperacetic acid,

trifluoroperacetic acid, or a combination thereof, is then added to the allylated poly(vinyl-chloride) solution. Preferred peracids are m-chloroperbenzoic acid and peracetic acid. The peracid is added in amounts from about 2 to about 10 times in excess of stoichiometric ratio of the allylated poly(vinyl chloride). The reaction is carried out under normal atmospheric conditions. The reaction temperature may be generally from about -20°C to about 80°C, desirably from about -10°C to about 50°C, and preferably the reaction is run at ambient room temperature, i.e., from about 10 to about 30°C. The reaction is allowed to proceed while preferably stirred, generally for about 10 minutes to about 4 hours and desirably from about 20 minutes to 1 hour.

The product is precipitated with an alcohol having from about 1 to about 5 carbon atoms, such as methanol. The precipitated product can be washed sequentially with 5% aqueous sodium bicarbonate, distilled water and methanol. The solvent is evaporated and the product is dried, such as in a vacuum oven, at room temperature.



While not being limited to theory, an overall reaction mechanism is as follows:




The structure of the epoxidized poly(vinyl chloride) was investigated by ^1H NMR spectroscopy. However, the characteristic resonances of the pendant

propylene oxide group could not be identified because of the overlap of the epoxy methylene protons with the various protons in poly(vinyl chloride). The complete disappearance of the olefin resonances in the range of the allyl group (5.65 to 5.95 ppm), together with the characteristic ^{13}C NMR resonances, however, indicates essentially quantitative epoxidation.

The epoxidized poly(vinyl chloride) can be further reacted as known to one of ordinary skill in the art, through the pendant propylene oxide groups thereon. Various end groups which can be added to the pendant epoxy function include hydroxyl groups, ether groups, amine groups and amide groups. Example reaction schemes include the following:






,wherein R and R₂, independently, are alkyl groups having from 2 to about 18 carbon atoms and/or any polymer fitted with the above-mentioned functionality.

These and other reactions of epoxy groups can be found in "Organic Chemistry", 2nd Edition, John McMurry, Brooks/Cole Publishing Company, 1988.

Generally, by utilizing various functionalization processes, hydroboration or hydrosilation of the allylated poly(vinyl chloride) can be carried out, generally yielding, respectively, the following structures:



wherein each R, independently, is an alkyl (linear or branched) or a substituted alkyl group having from 1 to about 10 carbon atoms.

The allylated poly(vinyl chloride) can be converted to hydroxylated poly(vinyl chloride) through hydroboration followed by oxidation. A desired amount of allylated poly(vinyl chloride) is placed into solution with any of the solvents noted hereinabove. The allylated poly(vinyl chloride) is present in solution in any desired amount such as from about 0.1 to about 10, desirably from about 0.5 to about 6, and preferably from about 1 to about 3 percent by weight based on the total weight of poly(vinyl chloride) and solvent as set forth above, e.g. 1,2-dichloroethane. The hydroborating agents utilized are generally boron compounds, having a general formula $R_{3-x}BH_x$ wherein each R, independently, is an alkyl group having from 0 to about 10 carbon atoms and x is 1, 2 or 3, such as BH_3 with specific examples including 9-BBN (9-borabicyclo [3,3,1] nonane) and a boron hydride complex with THF (tetrahydrofuran). The amount of the boron containing compound added to the reaction mixture is generally a stoichiometric excess relative to the pendant allyl groups such as from about 1 to about 20 and desirably from about 1 to about 10 molar equivalent. The reaction is carried out in an inert atmosphere, such as in the various inert gasses as stated hereinabove, with nitrogen being preferred. Reaction temperatures generally range from about minus 30°C to about 45 or 50°C with from about minus 10°C to about 20°C being desired. The reaction mixture is allowed to react for a sufficient amount of time, which can vary depending upon the reaction temperature and particular reactants. For example, a reaction mixture can be reacted at room temperature with 9-BBN

or at 0°C with the $\text{BH}_3\cdot\text{THF}$, from one to about several hours. Subsequently, an oxidizing agent such as hydrogen peroxide is added in an alkaline medium which will react with the reactant to form a hydroxyl group. The oxidation reaction is carried out at temperatures generally below 45°C and is allowed to proceed for a sufficient amount of time ranging from minutes to a few hours. Water is added and the formed aqueous phase is separated from the organic layer phase. The organic layer phase containing the grafted oligomer is washed several times with water and dried over a drying agent or desiccant such as magnesium sulfate. After filtration of the product, the solvent is evaporated as by heating and the hydroxylated poly(vinyl chloride) is dried under vacuum at room or elevated temperatures.

Silyl groups can be added to the allylated poly(vinyl chloride) through hydrosilation. A desired amount of allylated poly(vinyl chloride) is placed into solution with any of the solvents noted hereinabove. The allylated poly(vinyl chloride) is present in solution in any desired amount such as from about 0.1 to about 10, desirably from about 0.5 to about 6, and preferably from about 1 to about 3 percent by weight based on the total weight of poly(vinyl chloride) and solvent as set forth above, e.g. 1,2-dichloroethane. A few drops of Karstedt's catalyst and excess R_3SiH is added to the solution. Each R, independently, can be an alkyl group having from 1 to about 10 carbon atoms or an alkoxy group having from about 1 to about 10 carbon atoms. The amount of the silicon

containing compound added to the reaction mixture is generally a stoichiometric excess relative to the pendant allyl group such as from about 1 to about 20 and

desirably from about 1 to about 10 molar equivalent. The solution was refluxed preferably from about 0.5 to about 6 hours. The hydrosilated poly(vinyl chloride) was precipitated with an alcohol, washed sequentially with hexane, distilled water, and an alcohol, and dried in a vacuum oven at room or elevated temperature.

The following examples serve to illustrate, but not to limit, the present invention.

Allylated PVC. Allylation of poly(vinyl chloride) was carried out in a stainless steel dry box equipped with a thermostated bath under a dry nitrogen atmosphere. A 1000 mL flask, equipped with a mechanical stirrer, was charged with 500 mL CH_2Cl_2 solution of poly(vinyl chloride) (1 wt% Geon 110 x 377 PVC), and was cooled to -70°C .

ATMS (allyltrimethylsilane) (0.1 mol/L) and Friedel-Crafts acid (TiCl_4 or Et_2AlCl , 4.5×10^{-2} mol/L) were added, and the charge was stirred for 45 minutes. Methanol (about 20 mL) was added to terminate the reaction. The allylated poly(vinyl chloride) was precipitated with excess methanol, re-dissolved in THF, and centrifuged for 1 hour to remove metal oxide residues. The solvent was evaporated and the allylated poly(vinyl chloride) was dried in a vacuum oven at room temperature.

Characterization. ^1H and ^{13}C NMR spectra were recorded by a Varian 300 spectrometer.




FIGURE 1. ^1H NMR spectrum of a representative allylated poly(vinyl chloride) obtained with TiCl_4 .

Allylations were carried out by the use of TiCl_4 and Et_2AlCl in CH_2Cl_2 at -70°C . FIG. 1 shows the ^1H NMR spectrum, together with the assignments, of a representative allylated poly(vinyl chloride) obtained with TiCl_4 . Integrating and correlating the characteristic resonances of the allyl function (i.e., the terminal protons in the $-\text{CH}_2\text{CH}=\text{CH}_2$ group) in the 5.65 to 5.95 ppm range, with the

resonances at about 4.5 ppm (associated with the $-\text{CH}_2\text{CH}(\text{Cl})-$ group), gives the amount of cationically active chlorine content.

Representative results are shown in TABLE I.

TABLE I.

5 Cationically active chlorine content determined by allylation*:

Friedel-Crafts acids	Number of allyl group after allylation per PVC chains	Active chlorines per PVC chain	Active chlorines mole %
TiCl_4	3.3	1.8	0.31
Et_2AlCl	3.1	1.6	0.27

* Allyl chlorine content of virgin PVC: 1.5 per PVC chain (by NMR)

10 The second column in TABLE I specifies the total number of allyl groups in our poly(vinyl chloride) after allylation. The third column shows active chlorines per poly(vinyl chloride) chain (i.e. the difference between the number of allyl groups in allylated and virgin poly(vinyl chloride)). The fourth column gives the cationically active chlorines in mol% obtained by dividing the value in the third column with 585 (i.e., the number average degree of polymerization of the poly(vinyl chloride) used). According to these results, the reaction between the

15 carbocationic species and ATMS is essentially quantitative.

Epoxidation of Allylated PVC. Epoxidation of allylated poly(vinyl chloride) was carried out with excess m-chloroperbenzoic acid in 1,2-dichloroethane solution. Thus, a 500 mL flask equipped with a magnetic stir bar was charged with

250 mL of a 1,2-dichloroethane solution of allylated poly(vinyl chloride) (1.5 wt%) and m-chloroperbenzoic acid (0.75 g), and the charge was stirred for 4 hours at room temperature. The product was precipitated with methanol, washed sequentially with 5% aqueous sodium bicarbonate, distilled water and methanol, and dried in a vacuum oven at room temperature.

Hydroxylation of PVC. Hydroborations with 9-BBN and $\text{BH}_3 \cdot \text{THF}$ can be carried out in a three-necked flask equipped with stirrer and dropping funnel. A solution of poly(vinyl chloride) (2 wt%) in 1,2-DCE was added drop-wise under nitrogen atmosphere into excess 9-BBN or $\text{BH}_3 \cdot \text{THF}$ charges. After 5 hours of stirring at room temperature with 9-BBN or at 0°C with $\text{BH}_3 \cdot \text{THF}$, stoichiometric amounts of 3N NaOH and subsequently 30% H_2O_2 were added drop-wise while the reaction temperature was maintained below 45°C . The mixture was allowed to react for 2 hr, and 1,2-DCE was added, then water saturated with potassium carbonate was added. The organic layer was separated, washed several times with water, and dried over magnesium sulfate. After filtration, the solvent was evaporated and the hydroxylated poly(vinyl chloride) was dried under vacuum at room temperature.

The thermal stability and extent of discoloration of heated films was studied in order to show allylated poly(vinyl chloride) offers improved thermal properties over virgin poly(vinyl chloride).

Heating of poly(vinyl chloride) invariably leads to discoloration and the extent of discoloration is a sensitive measure of the extent of thermal degradation of the resin. The thermal instability of poly(vinyl chloride) is due to the presence of active chlorines, predominantly tertiary and allylic chlorines, and the replacement of these with relatively more stable C – C bonds leads to improved thermal properties.

TABLE II.

Comparison of thermal stability of virgin poly(vinyl chloride) and allylated poly(vinyl chloride):


	Temperature (°C) at % Weight loss (in air by TGA)						
	2%	5%	10%	20%	30%	40%	50%
POLY(VINYL CHLORIDE)	247	261	268	274	279	288	305
Allylated PVC	262	276	290	302	310	318	332

The thermal stability of allylated poly(vinyl chloride) was studied by thermal gravimetric analysis (TGA) in air and N₂. TABLE II lists representative thermal stability data. The thermal stability of allylated poly(vinyl chloride) as measured by weight loss was improved by about 15°C at low weight loss, and by more than 30°C at about 20 to about 30 percent weight loss. Dehydrochlorination is more rapid in the presence of oxygen. Indeed, the thermal stability of allylated poly(vinyl chloride) is much higher in N₂ as illustrated by the data in Figure 2.

In allylated poly(vinyl chloride), the active chlorines are replaced by the more stable C – C bonds.

FIGURE 2

Thermal gravimetric analysis of allylated PVC(10°C/min under nitrogen)




5

In yet another embodiment of the present invention, poly(vinyl chloride) is reacted with one or more unsaturated hydrocarbon dienes wherein the dienes become pendant groups on the poly(vinyl chloride) chain similar to the allyl functionality disclosed and described hereinabove. Poly(vinyl chloride) or copolymers thereof utilized in this embodiment can be the same as those described hereinabove and are fully incorporated by reference. The pendant diene or poly(dienes) have unsaturated or allylic end groups which can be reacted in a similar manner as described above to contain end groups such as epoxy, silyl, or hydroxy.

15

The dienes utilized in the present invention generally have a total from about 4 to about 18 carbon atoms. The dienes can be conjugated or non-conjugated, branched or linear. Examples of suitable non-conjugated dienes

include, but are not limited to, 2-methyl-1,5 hexadiene, and other dienes which can be represented by the following formula:



where R^8 is an alkylene moiety having from 0 (nonexistent) to about 2 carbon atoms, and desirably is 0 or 1 carbon atom and wherein n is an integer from 0 to about 10, and preferably from 1 to about 5.

The diene monomers are reacted with poly(vinyl chloride) to form multiple grafted oligomers having a low degree of polymerization and allyl functionality. That is, the diene monomers are reacted in the presence of a Friedel-Crafts catalyst as set forth hereinabove and form multiple grafted pendant sites on the backbone of the poly(vinyl chloride) wherein each pendant site is an oligomer containing repeat groups derived from the diene monomers with each repeat group generally having an unsaturated or allylic end group. The number of repeat groups per oligomer is generally from about 1 to about 20, desirably from about 3 to about 10, and preferably from about 3 to about 7. The number of grafted oligomers derived from a conjugated diene for each poly(vinyl chloride) chain is generally from about 1 to about 20, desirably from about 1 to about 5 or 10, and preferably from about 1 to about 3.

Desirably, the grafting of the diene from the poly(vinyl chloride) is conducted in the presence of an inert gas such as nitrogen, helium, argon, neon, and the like, in order to graft under controlled, inert or non-reactive conditions.

5 Poly(vinyl chloride), as defined hereinabove, is placed into solution using appropriate polar solvents as set forth above with respect to the allylation reaction. Enough solvent is utilized so that poly(vinyl chloride) is present in solution in an amount generally from about 0.5 to about 5.0, desirably from about 0.6 to about 3.0, and preferably from 0.75 to about 1.25 percent by weight based on the total weight of poly(vinyl chloride) and solvent.

10 The solution of poly(vinyl chloride) is cooled in a reaction vessel. Suitable temperatures generally range from about 0°C to about minus 90°C and desirably from about minus 40°C to about minus 80°C.

At least one of the above described dienes, e.g. 2-methyl-1,5 hexadiene, is added to the cooled solution in an amount generally from about 0.1 mol/L to about 15 1.5 mol/L, desirably from about 0.2 mol/L to about 1.0 mol/L, preferably from about 0.3 mol/L to about 0.8 mol/L (moles per liter) of solution (solvent and poly(vinyl chloride)).


One or more Friedel-Crafts acids as defined hereinabove, e.g. Et_2AlCl are also added to the solution with the amount of Friedel-Crafts acid utilized generally 20 is from about 1×10^{-2} to about 10×10^{-2} moles per liter, desirably from about 2×10^{-2}

to about 8×10^{-2} moles per liter, and preferably from about 3×10^{-2} to about 6×10^{-2} moles per liter of solution.

5 The reaction solution is mixed in any suitable container, vessel, etc. and is allowed to proceed generally from about 5 minutes to about 60 minutes and desirably from about 10 minutes to about 50 minutes, thus forming the poly(vinyl chloride) having multiple long chain unsaturated oligomers grafted thereon. The reaction is then terminated with an alcohol having from 1 to 5 carbon atoms or an amine, utilizing an excess to precipitate the grafted poly(vinyl chloride). Suitable alcohols include methanol, ethanol, and propanol. Methanol and ethanol are
10 preferred.

The grafted poly(vinyl chloride) is extracted with hexane or other hydrocarbons to separate the grafted poly(vinyl chloride) from the ungrafted polydiene. If desired, the long chain oligomer grafted poly(vinyl chloride) can be purified by re-dissolving in tetrahydrofuran, cyclohexanone, or any other suitable
15 solvent, and centrifuged for any desirable amount of time, such as approximately one hour, to remove residues such as small amounts of metal oxide.

The mechanism of poly(vinyl chloride) grafting wherein the diene is 2-methyl-1,5-hexadiene is believed to be:



Wherein n , as noted above is from about 1 to about 20 and $n_1 + n_2 = n$.

EXAMPLE

PVC Containing Grafted Unsaturated Oligomers Derived From A Diene

Grafting of poly(2-methyl-1,5-hexadiene) from poly(vinyl chloride) was carried out in a stainless steel dry box. A 200 mL flask, equipped with mechanical stirrer, was charged with 80 mL CH_2Cl_2 solution of poly(vinyl chloride) (1 wt%), and was cooled to -70°C and -50°C . 2-methyl-1,5-hexadiene (0.5 mol/L) and Friedel-Crafts acid (TiCl_4 or Et_2AlCl , 4.5×10^{-2} mol/L) were added, and the charge was stirred for 45 minutes. Methanol (~ 10 mL) was added to terminate the reaction. The grafted poly(vinyl chloride) along with the homopolymer were precipitated with excess methanol, and extracted with hexane to separate the grafts from homopolymer. The homopolymer (in hexane solution) was dried in a vacuum oven. The grafts are redissolved in THF, centrifuged for 1 hour to remove metal oxide residues and dried in a vacuum oven at room temperature.

¹H NMR spectroscopy was used to confirm the structure of the PVC-g-poly(2-methyl-1,5-hexadiene). Integrating and correlating the characteristic resonances of the unsaturated function (i.e., the terminal protons in the -CH₂CH=CH₂ group) in the 5.65-5.95 ppm range with respect to the resonances at ~4.5 ppm (associated with the -CH₂CH(Cl)-group) gives the amount of allyl group content. According to this evidence, multiple allyl groups were attached to the poly(vinyl chloride).

The above described poly(vinyl chloride) grafted diene oligomers having multiple repeat groups generally terminated with an unsaturated end group can be reacted to convert the end group to other functional groups such as hydroxyl groups, epoxy groups, etc. in generally the same manner as set forth above, with regard to the allylated poly(vinyl chloride) and the same is hereby incorporated by reference .

By way of example, hydroxyl groups can be added as follows. A desired amount of poly(vinyl chloride) grafted with a diene is placed into solution with any of the suitable halogenated hydrocarbon polar solvents noted hereinabove. The poly(vinyl chloride) grafted with the diene is present in solution in an amount generally from about 0.1 to about 10, desirably from about 0.5 to about 6, and preferably from about 1 to about 3 percent by weight based on the total weight of the multiple oligomer grafted poly(vinyl chloride) and solvent. Then, hydroboration/oxidation is carried out with BH₃(a boron hydride complex) and THF

(tetrahydrofuran). The amount of the boron containing compound added to the reaction mixture is generally a stoichiometric excess relative to the allyl or unsaturated groups of the multiple pendant oligomers such as from about 1 to about 20 and desirably from about 1 to about 10 equivalent weight. The reaction is carried out in an inert atmosphere, such as in the various inert compounds and gasses as stated hereinabove, with nitrogen being preferred. Reaction temperatures generally range from about minus 30°C to about 45 or 50°C with from about minus 10°C to about 20°C being desired. The reaction mixture is allowed to react for a sufficient amount of time, which can vary depending upon the reaction temperature and particular reactants. For example, a reaction mixture can be reacted at room temperature with 9-BBN or at 0°C with the $\text{BH}_3 \cdot \text{THF}$, from one to about several hours. Subsequently, an oxygen containing compound is added which will react with the reactant to form a hydroxyl group. Such compounds include the various aqueous alkali hydroxyl compounds such as KOH and NaOH in conjunction with hydrogen peroxide. This reaction is carried out at temperatures generally below 45°C and allowed to react for a sufficient amount of time ranging from minutes to a few hours. The formed aqueous phase is separated from the organic layer phase and the organic layer phase containing the grafted oligomer is washed several times with water and dried over a drying agent or desiccant such as magnesium sulfate. After filtration of the product, the solvent is evaporated by heating and the poly(vinyl chloride) grafted diene oligomer having

hydroxyl end groups is dried under a vacuum at room or elevated temperatures.


The percentage of unsaturated groups which are hydroxylated is essentially quantitative.

Similar to the epoxidation of the allylic poly(vinyl chloride) described hereinabove, the poly(vinyl chloride) containing a plurality of unsaturated oligomers thereon such as those derived from one or more dienes can be epoxidized in the following manner. A desired amount of the multiple grafted pendant sites on the backbone of poly(vinyl chloride), wherein each pendant site is an oligomer containing repeat groups such as that derived from diene monomers, is dissolved in a halogen containing hydrocarbon polar solvent such as noted hereinabove, for example methylene chloride or methyl chloride. Enough solvent is utilized so that the grafted poly(vinyl chloride) is present in solution in an amount generally from about 0.1 to about 10, desirably from about 0.5 to about 5, and preferably from about 1 to about 2 percent by weight based on the total weight of poly(vinyl chloride) and solvent. A peracid, i.e., a molecule comprising a -COOOH group, such as m-chloroperbenzoic acid (preferred), peracetic acid (preferred), perpropionic acid, trichloroperacetic acid, trifluoroperacetic acid, or a combination thereof, is then added to the allylated poly(vinyl chloride) solution. The peracid is added in amounts from about 2 to about 10 times in excess of stoichiometric ratio of the allylated poly(vinyl chloride). The reaction is carried out under normal atmospheric conditions. The reaction temperature may be generally from about -

20°C to about 80°C, desirably from about -10°C to about 50°C, and preferably the reaction is run at ambient room temperature, i.e., from about 10 to about 30°C.

The reaction is allowed to proceed while preferably stirred, generally for about 10 minutes to about 4 hours and desirably from about 20 minutes to 1 hour.

5 The product is precipitated with an alcohol having from about 1 to about 5 carbon atoms, such as methanol. The precipitated product can be washed sequentially with 5% aqueous sodium bicarbonate, distilled water
10 and methanol. The solvent is evaporated and the product is dried, such as in a vacuum oven, at room temperature. The product contains said one or
15 more pendant diene oligomers generally having an epoxy



20 Silyl groups can be added to the poly(vinyl chloride) containing a plurality of unsaturated oligomers through hydrosilation. A desired amount of grafted poly(vinyl chloride) is placed into solution with any of the solvents noted hereinabove. The grafted poly(vinyl chloride) is present in solution in any desired amount such as from about 0.1 to about 10, desirably from about 0.5 to about 6,
25 and preferably from about 1 to about 3 percent by weight based on the total weight of poly(vinyl chloride) and solvent as set forth above, e.g. 1,2-dichloroethane. A few drops of Karstedt's catalyst and excess R_3SiH is added to the solution. R can be an alkyl group having from 1 to about 10 carbon atoms or an alkoxy group

having from about 1 to about 10 carbon atoms. The amount of the silicon containing compound added to the reaction mixture was generally a stoichiometric excess relative to the pendant allyl group such as from about 1 to about 20 and desirably from about 1 to about 10 molar equivalent. The charge was refluxed preferably for about 0.5 to about 6 hours. The hydrosilated poly(vinyl chloride) was precipitated with an alcohol, washed sequentially with hexane distilled water and an alcohol, and dried in a vacuum oven at room or elevated temperature.

GRAFTED PVC COPOLYMERS

The poly(vinyl chloride) containing hydroxyl terminated multiple grafted oligomers such as derived from a diene, or other hydroxyl terminated alkyl such as derived for the allylic group, described hereinabove, can be utilized to form numerous grafted polymers on the poly(vinyl chloride) backbone through a reaction with the hydroxyl group in a manner known to the art and to the literature. For example, see Kennedy and Ivan, Designed Polymers by Carbocationic Macromolecular Engineering: Theory and Practice, Hanser Publishers 1992. Grafted polymers include polyesters, polyurethanes, polycarbonates, polyethers, polyamides (nylon), and the like. The grafted polymer can either be pre-formed, that is reacted and contain an end group which is reactive with the one or more pendant hydroxyl groups off of the poly(vinyl chloride) backbone, or the various polymers can be formed in situ by reacting monomers which form the desired polymer in the presence of a poly(vinyl chloride) containing the pendant hydroxyl

function with the hydroxyl group entering into the reaction and thus forming a grafting site for the polymer being formed. The reaction conditions for forming the prepolymer or reacting the monomers in situ are well known to the art and to the literature such as set forth in "Principles of Polymerization", 3rd Edition, 1991, Odian, John Wiley & Sons, Inc., New York, NY which is hereby fully incorporated by reference.

The polyesters which can be utilized in the present invention are well known to the art and to the literature as is the preparation thereof. Polyesters can be produced by direct esterification of a diacid with a diol or self-condensation of a hydroxy carboxylic acid. Since polyesterification, like many step polymerizations, is an equilibrium reaction, water must be continuously removed to achieve high conversion and high molecular weights. The polyesters are made from aliphatic dicarboxylic acids, aliphatic anhydrides, or aromatic acids, etc., and glycols and such are well known to the art and to the literature as is the preparation thereof. Naturally, the polymerization of the polyester as a graft of the poly(vinyl chloride) backbone is through reaction of the hydroxyl group of the oligomer or alkyl with a dicarboxylic acid, etc. The aliphatic dicarboxylic acids and anhydrides have from about 2 to about 20 and desirably from about 3 to about 15 carbon atoms, with specific examples including carbonic acid, malonic acid, succinic, glutaric acid, adipic acid, pimelic acid, suberic acid, azelaic acid, sebacic acid, the anhydride counterparts thereof, and the like. The aromatic diacids are generally preferred

and contain from about 8 to about 20 and preferably from about 8 to about 15 carbon atoms. Examples of aromatic diacids include phthalic acid, isophthalic


acid, terephthalic acid, and the like. Mixtures of all of the above acids can be utilized as well. The glycols generally have from 2 to 20 carbon atoms with

5 specific examples including ethylene glycol, propylene glycol, 1,3-butylene glycol, 1,4-butylene glycol, pentane diol, hexane diol, cyclo-hexanedimethanol dipropylene glycol, diethylene glycol, pinacol, and the like. Preferred glycols generally include ethylene glycol, propylene glycol, or butylene glycol. Generally, aromatic polyesters are preferred such as polyethylene-terephthalate (PET),
10 polytrimethyleneterephthalate (PTT), polybutyleneterephthalate (PBT), polyethyleneisophthalate, and polybutylenenaphthalate.

Polyester block copolymers can also be utilized and suitable polyester block copolymers include segmented polyester-polyether and the like. These block copolymers contain at least one block of a polyester and at least one rubbery
15 block such as a polyether derived from glycols having from 2 to 6 carbon atoms, e.g., polyethylene glycol, or from alkylene oxides having from 2 to 6 carbon atoms. A preferred block polyester-polyether polymer is polybutyleneterephthalate-b-polytetramethylene glycol which is available as Hytrel from DuPont.

The weight average molecular weight of the various polyesters generally
20 range from about 5,000 or 10,000 to about 150,000 or 200,000 with from about

25,000 to about 100,000 being preferred. An example synthetic mechanism of the reaction of hydroxylated poly(vinyl chloride) and polyester is as follows:



Wherein R^9 is a polyester and R^{10} is an alkyl group.

30 The polycarbonates which can be utilized in the present invention are generally characterized by the $-\text{OCOO}-$ hetero chain unit and are well known to the art and to the literature as is the preparation thereof. Generally any type of

polycarbonate can be utilized. The polycarbonates can be made from aromatic monomers, aliphatic monomers, or mixtures thereof. Examples of such

polycarbonates and the preparation thereof are set forth in the Encyclopedia of Polymer Science and Engineering, Volume 11, page 648-718, D. Freitag et al, 5 John Wiley & Sons, 1988, which is hereby fully incorporated by reference. Although aliphatic polycarbonates can be utilized, they are generally less important than aromatic polycarbonates. Various starting materials for aliphatic polycarbonates are diols and carbonates, as for example diethyl or diphenyl carbonate. Aromatic polycarbonates are generally preferred and are prepared by 10 the reaction of bisphenols with carbonic acid derivatives. The bisphenol is generally bisphenol A, that is 2,2 -bis(4-hydroxyphenyl) propane. The carbonic acid derivative can be phosgene or diphenyl carbonate. The molecular weight of the various polycarbonates is generally from about 10,000 to about 200,000 and desirably from about 15,000 to about 35,000, 50,000 or 75,000. The preparation 15 and polymerization of polycarbonates is well known to the art and to the literature. With respect to grafting a polycarbonate onto the hydroxyl terminated oligomer or alkyl pendant from the poly(vinyl chloride) backbone, as by reaction of carbonic acid or carbonic acid derivative with the pendant hydroxyl group of the poly(vinyl chloride). The preparation of various polycarbonates is described in "Principles of 20 Polymerization", 3rd Edition, Odian, 1991, John Wiley and Sons, Inc., New York, New York which is hereby incorporated by reference.

The polyethers which can be utilized in the present invention are well known to the art and to the literature and include but are not limited to cyclic ethers such as those made from oxirane, oxetane, oxolan and oxane.

5 The polyurethanes which can be utilized in the present invention are well known to the art and literature as is the preparation thereof. Generally, the polyurethane is made from a polyol intermediate and an equivalent amount of polyisocyanate. The pendant grafted polyurethane can be made by reacting an isocyanate with the hydroxyl end group of the oligomer or alkyl pendant group on the backbone of the poly(vinyl chloride), in a manner known to the art and to the literature.

10 The polyol intermediate is generally a liquid polyether polyol or a polyester polyol, or combinations thereof having a number average molecular weight of from about 400 to about 10,000 with from about 500, or about 1,000 or about 2,000 to about 4,000 or about 7,000 being preferred. A wide range of polyether or polyester polyols can be used. Polyether polyols are generally made by reacting an alkylene oxide having from 2 to about 10 carbon atoms such as propylene oxide with a strong base such as potassium hydroxide, preferably in the presence of water, glycols and so forth. Polyethers having a highly branched chain are readily prepared from alkylene oxides and initiators having an active hydrogen

15 functionality greater than 2. The higher functional initiators that are useful with the alkylene oxides described above include polyols, polyamines and amino alcohols

20

having a total of three or more reactive hydrogen atoms on hydroxyl and primary or secondary amino groups and generally having up to 12 carbon atoms.

Other polyethers which can be utilized are those which are produced as by polymerization of tetrahydrofuran or epoxides (such as ethylene oxide, propylene oxide, butylene oxide, styrene oxide, or epichlorohydrin), or by addition of epoxide compounds (preferably ethylene oxide or propylene oxide), alone, in a mixture, or in succession, to starting components with reactive hydrogen atoms such as water, polyhydric alcohols, ammonia or polyfunctional amines.

Polyester polyols are formed from the condensation of one or more polyhydric alcohols having from 2 to about 20 carbon atoms with one or more aliphatic or aromatic polycarboxylic acids having from 2 to 20 carbon atoms. Examples of suitable polyhydric alcohols include the following: ethylene glycol, propylene glycol such as 1,2-propylene glycol and 1,3-propylene glycol, butanediol; pentanediol; hexanediol; dodecanediol; octanediol; chloropentanediol, glycerol monallyl ether; glycerol monoethyl ether, diethylene glycol; 2-ethylhexanediol-1,4; cyclohexanediol-1,4; 1,2,6-hexanetriol; 1,3,5-hexanetriol; 1,3-bis-(2-hydroxyethoxy)propane and the like. Triols, tetrols, and the like can be used to form crosslinked polyurethanes. Examples of polycarboxylic acids include the following: phthalic acid; isophthalic acid; terephthalic acid; tetrachlorophthalic acid; maleic acid; dodecylmaleic acid; octadecenylmaleic acid; fumaric acid; aconitic acid; trimellitic acid; tricarballic acid; 3,3'-thiodipropionic acid; succinic

acid; adipic acid; malonic acid, glutaric acid, pimelic acid, sebacic acid, cyclohexane-1,2-dicarboxylic acid; 1,4-cyclohexadiene-1,2-dicarboxylic acid; 3-methyl-3,5-cyclohexadiene-1,2-dicarboxylic acid and the corresponding acid anhydrides, acid chlorides and acid esters such as phthalic anhydride, phthaloyl chloride and the dimethyl ester of phthalic acid.

Polyesters from lactones (for example epsilon-caprolactone) and polyacetals, polycarbonates or polybutadienes containing terminal hydroxyl groups are also suitable.

The equivalent ratio of the polyisocyanate utilized to make the prepolymer to the hydroxyl containing polyol intermediate (NCO/OH) is generally from about 0.90 to about 1.10 and preferably from about 0.95 or about 0.98 to about 1.02 or about 1.05. The polyisocyanates generally have the formula $R(NCO)_n$ where n is an integer of 2, 3 or 4 with approximately 2 being preferred. However, it is to be understood that since combinations of various polyisocyanates can be utilized, the equivalent amount of isocyanate can vary and often is not an integer. R is an aliphatic group having from about 2 to about 20 carbon atoms with from about 6 to about 15 carbon atoms being preferred, an aromatic group including an alkyl substituted aromatic having from about 6 to about 20 carbon atoms with from about 6 to about 15 carbon atoms being preferred, or combinations thereof.

Examples of suitable polyisocyanates include 1,6-diisocyanato hexane, 2,2,4- and/or 2,4,4-trimethyl hexamethylene diisocyanate, p- and m-tetramethyl xylene

diisocyanate, dicyclohexylmethane-4,4'-diisocyanate (hydrogenated MDI), 4,4-methylene diphenyl isocyanate (MDI), p- and m-phenylene diisocyanate, 2,4-and/or 2,6-toluene diisocyanate (TDI), durene-1,4-diisocyanate, isophorone diisocyanate, isopropylene-bis-(p-phenyl isocyanate) and sulfone-bis-(p-phenyl isocyanate). Also useful are diisocyanates prepared by capping low molecular weight, that is less than 300, diols, ester diols or diamines with diisocyanates, such as the reaction products of one mole of 1,4-butanediol or bis-(4-hydroxybutyl)-succinate (molecular weight=262) with two moles of hexamethylene diisocyanate. Any combination of diisocyanates can also be employed. Combinations of slower reacting aliphatic with faster reacting aromatic diisocyanates can be advantageously used. Examples of still other isocyanates include 1,5-naphthalenediisocyanate, cumene-2,4-diisocyanate, 4-methoxy-1,3-phenylenediisocyanate, 4-chloro-1,3-phenylenediisocyanate, 4-bromo-1,3-phenylenediisocyanate, 4-ethoxy-1,3-phenylenediisocyanate, 2,4'-diisocyanatodiphenylether, 4,4'-diphenyldiisocyanate, 4,6-dimethyl-1,3-phenylenediisocyanate, 1,10-anthracenediisocyanate, 4,4'-diisocyanatodibenzyl, 3,3-dimethyl-4,4'-diisocyanatodiphenylmethane, 2,6-dimethyl-4,4'-diisocyanatodiphenyl and others and mixtures of the same. TDI or isophorone diisocyanate are desirably utilized. The various diphenylmethane diisocyanates (MDI) and mixtures of MDI with polymeric MDI having an average isocyanate functionality of from about 2 to about 3.2 are preferred. The preparation of various

polyethers and polyurethanes is described in "Principles Of Polymerization", 3rd Edition, 1991, Odian, John Wiley & Sons, Inc., New York, NY which is hereby fully incorporated by reference.

Numerous fillers can be utilized in the urethane prepolymer component.

5 The fillers are generally mineral (inorganic), and in a powdery form and serve to adjust the urethane prepolymer adhesive component viscosity as well as to lower the cost thereof. The fillers can at times impart improved adhesion. Examples of specific fillers include ground mica, talc, kaolin clay, calcium carbonate, calcium sulfite, colloidal silica, wollastonite, ballotini, hollow glass microspheres, glass,
10 carbon and graphite fibers, various metallic oxides such as zinc, titanium, zirconium, and the like, ground quartz, various metallic silicates, metallic powders such as lead, aluminum, bronze, and the like. A preferred filler is talc. The amount of filler is generally an effective amount to produce a viscosity so that the prepolymer component can be readily pumped through processing equipment
15 such as adhesive meter-mixing machines. Such an effective amount is usually from about 5 to about 100 parts by weight and preferably from about 20 to about 50 parts by weight per 100 parts by weight of the prepolymer.

Another group of polymers which can be covalently attached to the pendant oligomers or alkyls of the poly(vinyl chloride) backbone containing the hydroxyl
20 functional end group are the various nylons or polyamides. Polyamides are generally made by a condensation reaction of a diamine having from about 4 to

about 20 carbon atoms with a dicarboxylic acid, either aliphatic or aromatic, having from about 4 to about 20 carbon atoms. Nylons can also be made from the ring opening polymerization of internal amides having a total of from about 4 or 5 to about 10 or 12 carbon atoms in the ring. The formation and polymerization of nylons and polyamides are well known to the art and to the literature. Nylons can be formed by reacting a dicarboxylic acid with the pendant hydroxyl group of the oligomer located on the backbone of the poly(vinyl chloride) polymer in any conventional manner as also known to the art and to the literature. Subsequently, the remaining acid end group can be reacted with a diamine, etc. Suitable nylons include nylon 6, nylon 66, nylon 69, nylon 610, nylon 612, nylon 11, nylon 12, nylon 46, and the like. The molecular weight of the nylon can vary over a wide range such as a number average molecular weight of from about 1,000 to about 30,000 and desirably from about 5,000 to about 20,000. The preparation of various polycarbonates is more fully described in "Principles of Polymerization", 3rd Edition, Odian, 1991, John Wiley & Sons, Inc., New York, NY which is hereby fully incorporated by reference.

As set forth above, the poly(vinyl chloride) copolymers containing multiple grafted chains of polyester, polycarbonate, polyether, polyurethane, or polyamide as noted above, can be prepared in various conventional manners known to the literature and to the art including the reaction of the pendant hydroxyl group with

monomers which form the various noted polymers or with a reactive end group of a preformed polymer.

Such above noted poly(vinyl chloride) copolymers containing the multiple grafted chains of various polymers can also contain various conventional additives well known to the art and to the literature in conventional amounts also known to the art and to the literature such as, for example, fillers, both organic and inorganic, plasticizers, pigments, antioxidants, antiozonants, and the like.

The above noted copolymers of poly(vinyl chloride) and the various pendant polymer chains thereon are useful as compatibilizing agents such as for blends of poly(vinyl chloride) with various polymers containing atoms other than hydrogen or carbon, such as poly(vinyl chloride) with polyester, blends of poly(vinyl chloride) with polycarbonates, blends of poly(vinyl chloride) with polyethers, blends of poly(vinyl chloride) with polyurethanes, blends of poly(vinyl chloride) with polyamides, and the like. The amount of the above noted poly(vinyl chloride)-grafted polymers when used as a compatibilizing agent for the above noted blends, or for blends of polymers containing at least one or preferably at least two of the polymers making up the poly(vinyl chloride) graft copolymer, will vary with regard to the particular type of blend system. Such amounts can be readily established. Generally, the amount of the compatibilizing agent is from about 0.2 to about 20 parts by weight and desirably from about 1 to about 10 parts by weight for every 100 parts by weight of the blended polymers.

In accordance with the patent statutes, the best mode and preferred embodiment have been set forth, and the scope of the present invention is not limited thereto, but rather by the scope of the attached claims.

100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042 1043 1044 1045 1046 1047 1048 1049 1050 1051 1052 1053 1054 1055 1056 1057 1058 1059 1060 1061 1062 1063 1064 1065 1066 1067 1068 1069 1070 1071 1072 1073 1074 1075 1076 1077 1078 1079 1080 1081 1082 1083 1084 1085 1086 1087 1088 1089 1090 1091 1092 1093 1094 1095 1096 1097 1098 1099 1100 1101 1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 1113 1114 1115 1116 1117 1118 1119 1120 1121 1122 1123 1124 1125 1126 1127 1128 1129 1130 1131 1132 1133 1134 1135 1136 1137 1138 1139 1140 1141 1142 1143 1144 1145 1146 1147 1148 1149 1150 1151 1152 1153 1154 1155 1156 1157 1158 1159 1160 1161 1162 1163 1164 1165 1166 1167 1168 1169 1170 1171 1172 1173 1174 1175 1176 1177 1178 1179 1180 1181 1182 1183 1184 1185 1186 1187 1188 1189 1190 1191 1192 1193 1194 1195 1196 1197 1198 1199 1200 1201 1202 1203 1204 1205 1206 1207 1208 1209 1210 1211 1212 1213 1214 1215 1216 1217 1218 1219 1220 1221 1222 1223 1224 1225 1226 1227 1228 1229 1230 1231 1232 1233 1234 1235 1236 1237 1238 1239 1240 1241 1242 1243 1244 1245 1246 1247 1248 1249 1250 1251 1252 1253 1254 1255 1256 1257 1258 1259 1260 1261 1262 1263 1264 1265 1266 1267 1268 1269 1270 1271 1272 1273 1274 1275 1276 1277 1278 1279 1280 1281 1282 1283 1284 1285 1286 1287 1288 1289 1290 1291 1292 1293 1294 1295 1296 1297 1298 1299 1300 1301 1302 1303 1304 1305 1306 1307 1308 1309 1310 1311 1312 1313 1314 1315 1316 1317 1318 1319 1320 1321 1322 1323 1324 1325 1326 1327 1328 1329 1330 1331 1332 1333 1334 1335 1336 1337 1338 1339 1340 1341 1342 1343 1344 1345 1346 1347 1348 1349 1350 1351 1352 1353 1354 1355 1356 1357 1358 1359 1360 1361 1362 1363 1364 1365 1366 1367 1368 1369 1370 1371 1372 1373 1374 1375 1376 1377 1378 1379 1380 1381 1382 1383 1384 1385 1386 1387 1388 1389 1390 1391 1392 1393 1394 1395 1396 1397 1398 1399 1400 1401 1402 1403 1404 1405 1406 1407 1408 1409 1410 1411 1412 1413 1414 1415 1416 1417 1418 1419 1420 1421 1422 1423 1424 1425 1426 1427 1428 1429 1430 1431 1432 1433 1434 1435 1436 1437 1438 1439 1440 1441 1442 1443 1444 1445 1446 1447 1448 1449 1450 1451 1452 1453 1454 1455 1456 1457 1458 1459 1460 1461 1462 1463 1464 1465 1466 1467 1468 1469 1470 1471 1472 1473 1474 1475 1476 1477 1478 1479 1480 1481 1482 1483 1484 1485 1486 1487 1488 1489 1490 1491 1492 1493 1494 1495 1496 1497 1498 1499 1500 1501 1502 1503 1504 1505 1506 1507 1508 1509 1510 1511 1512 1513 1514 1515 1516 1517 1518 1519 1520 1521 1522 1523 1524 1525 1526 1527 1528 1529 1530 1531 1532 1533 1534 1535 1536 1537 1538 1539 1540 1541 1542 1543 1544 1545 1546 1547 1548 1549 1550 1551 1552 1553 1554 1555 1556 1557 1558 1559 1560 1561 1562 1563 1564 1565 1566 1567 1568 1569 1570 1571 1572 1573 1574 1575 1576 1577 1578 1579 1580 1581 1582 1583 1584 1585 1586 1587 1588 1589 1590 1591 1592 1593 1594 1595 1596 1597 1598 1599 1600 1601 1602 1603 1604 1605 1606 1607 1608 1609 1610 1611 1612 1613 1614 1615 1616 1617 1618 1619 1620 1621 1622 1623 1624 1625 1626 1627 1628 1629 1630 1631 1632 1633 1634 1635 1636 1637 1638 1639 1640 1641 1642 1643 1644 1645 1646 1647 1648 1649 1650 1651 1652 1653 1654 1655 1656 1657 1658 1659 1660 1661 1662 1663 1664 1665 1666 1667 1668 1669 1670 1671 1672 1673 1674 1675 1676 1677 1678 1679 1680 1681 1682 1683 1684 1685 1686 1687 1688 1689 1690 1691 1692 1693 1694 1695 1696 1697 1698 1699 1700 1701 1702 1703 1704 1705 1706 1707 1708 1709 1710 1711 1712 1713 1714 1715 1716 1717 1718 1719 1720 1721 1722 1723 1724 1725 1726 1727 1728 1729 1730 1731 1732 1733 1734 1735 1736 1737 1738 1739 1740 1741 1742 1743 1744 1745 1746 1747 1748 1749 1750 1751 1752 1753 1754 1755 1756 1757 1758 1759 1760 1761 1762 1763 1764 1765 1766 1767 1768 1769 1770 1771 1772 1773 1774 1775 1776 1777 1778 1779 1780 1781 1782 1783 1784 1785 1786 1787 1788 1789 1790 1791 1792 1793 1794 1795 1796 1797 1798 1799 1800 1801 1802 1803 1804 1805 1806 1807 1808 1809 1810 1811 1812 1813 1814 1815 1816 1817 1818 1819 1820 1821 1822 1823 1824 1825 1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869 1870 1871 1872 1873 1874 1875 1876 1877 1878 1879 1880 1881 1882 1883 1884 1885 1886 1887 1888 1889 1890 1891 1892 1893 1894 1895 1896 1897 1898 1899 1900 1901 1902 1903 1904 1905 1906 1907 1908 1909 1910 1911 1912 1913 1914 1915 1916 1917 1918 1919 1920 1921 1922 1923 1924 1925 1926 1927 1928 1929 1930 1931 1932 1933 1934 1935 1936 1937 1938 1939 1940 1941 1942 1943 1944 1945 1946 1947 1948 1949 1950 1951 1952 1953 1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645 2646 2647 2648 2649 2650 2651 2652 2653 2654 2655 2656 2657 2658 2659 2660 2661 2662 2663 2664 2665 2666 2667 2668 2669 2670 2671 2672 2673 2674 2675 2676 2677 2678 2679 2680 2681 2682 2683 2684 2685 2686 2687 2688 2689 2690 2691 2692 2693 2694 2695 2696 2697 2698 2699 2700 2701 2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729